

Document No:	DS.SDS.GREY.v1.0
Document Type:	Safety Datasheet
Publish Date:	27/10/2023
Product Name:	Python DS

SECTION 1 - IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 PRODUCT IDENTIFIER

PRODUCT NAME	PYTHON SR GREY.
UFI	G530-M065-500M-VRYA
PRODUCT CODE	2613
PRODUCT GROUP	End Product.

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

MAIN USE CATEGORY	Industrial use, Professional use, Consumer use.
USES ADVISED AGAINST	No specific uses advised against are identified.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY SHEET

COMPANY NAME	PYTHON ADHESIVES LTD
ADDRESS	TEARDROP CENTRE, LONDON ROAD, SWANLEY, BR8 8TS
WEBSITE	www.pythonadhesives.co.uk
TELEPHONE	020 8778 9000
FAX	020 8768 7200
EMAIL	getagrip@pythonadhesives.co.uk

1.4 EMERGENCY TELEPHONE NUMBER

TELEPHONE	020 8778 9000.
-----------	----------------

SECTION 2 - HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION ACCORDING TO REGULATION (EC) NO. 1272/2008 [CLP]	Skin corrosion/irritation, Category 2: H315. Serious eye damage/eye irritation, Category 1: H318. Skin sensitisation, Category 1: H317. Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation: H335.
---	--

FULL TEXT OF H AND EUH STATEMENTS: SEE SECTION 16

ADVERSE PHYSICOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL EFFECTS	May cause respiratory irritation. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.
---	---

2.2 LABEL ELEMENTS

HAZARD PICTOGRAMS (CLP)	
SIGNAL WORD (CLP)	DANGER!
CONTAINS	Portland cement, chemicals; Flue dust from clinker production; Calcium dihydroxide.
HAZARD STATEMENT (CLP)	H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H335: May cause respiratory irritation.
PRECAUTIONARY STATEMENTS (CLP)	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water.

Document No:	DS.SDS.GREY.v1.0
Document Type:	Safety Datasheet
Publish Date:	27/10/2023
Product Name:	Python DS

2.3 OTHER HAZARDS

OTHER HAZARDS Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.1 SUBSTANCES

Not applicable.

3.2 MIXTURES

NAME	PRODUCT IDENTIFIER	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Portland cement, chemicals	CAS-No.: 65997-15-1	< 60	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335
Flue dust from clinker production	CAS-No.: 68475-76-3 EC-No.: 270-659-9	< 4	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 3, H335
Calcium dihydroxide	CAS-No.: 1305-62-0 EC-No.: 215-137-3	< 4	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412

FULL TEXT OF H- AND EUH-STATEMENTS: SEE SECTION 16

SECTION 4 - FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

FIRST-AID MEASURES GENERAL	Call a poison center or a doctor if you feel unwell.
FIRST-AID MEASURES AFTER INHALATION	Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
FIRST-AID MEASURES AFTER SKIN CONTACT	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
FIRST-AID MEASURES AFTER EYE CONTACT	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
FIRST-AID MEASURES AFTER INGESTION	Call a poison center or a doctor if you feel unwell.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

SYMPTOMS/EFFECTS AFTER INHALATION	May cause respiratory irritation.
SYMPTOMS/EFFECTS AFTER SKIN CONTACT	Irritation. May cause an allergic skin reaction.
SYMPTOMS/EFFECTS AFTER EYE CONTACT	Serious damage to eyes.
SYMPTOMS/EFFECTS AFTER INGESTION	Ingestion may cause nausea and vomiting. May be harmful if swallowed.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically.

SECTION 5 - FIREFIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	Water spray. Dry powder. Foam.
------------------------------	--------------------------------

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

HAZARDOUS DECOMPOSITION PRODUCTS IN CASE OF FIRE	Toxic fumes may be released.
--	------------------------------

5.3 ADVICE FOR FIREFIGHTERS

Document No:	DS.SDS.GREY.v1.0
Document Type:	Safety Datasheet
Publish Date:	27/10/2023
Product Name:	Python DS

PROTECTION DURING FIREFIGHTING	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6 - ACCIDENTAL RELEASE MEASURES	
6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	
FOR NON-EMERGENCY PERSONNEL EMERGENCY PROCEDURES	Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
FOR EMERGENCY RESPONDERS PROTECTIVE EQUIPMENT	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2 ENVIRONMENTAL PRECAUTIONS	
Avoid release to the environment.	
6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP	
METHODS FOR CLEANING UP	Mechanically recover the product.
OTHER INFORMATION	Dispose of materials or solid residues at an authorized site.
6.4 REFERENCE TO OTHER SECTIONS	
For further information refer to section 13.	
SECTION 7 - HANDLING AND STORAGE	
7.1 PRECAUTIONS FOR SAFE HANDLING	
PRECAUTIONS FOR SAFE HANDLING	Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
HYGIENE MEASURES	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	
STORAGE CONDITIONS	Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
7.3 SPECIFIC END USE(S)	
No additional information available.	
SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION	
8.1 CONTROL PARAMETERS	
NATIONAL OCCUPATIONAL EXPOSURE AND BIOLOGICAL LIMIT VALUES	No additional information available.
RECOMMENDED MONITORING PROCEDURES	No additional information available.
AIR CONTAMINANTS FORMED	No additional information available.
DNEL AND PNEC	No additional information available.
CONTROL BANDING	No additional information available.
8.2 EXPOSURE CONTROLS	
APPROPRIATE ENGINEERING CONTROLS	Ensure good ventilation of the work station.
PERSONAL PROTECTION EQUIPMENT	
EYE AND FACE PROTECTION	Safety glasses.

Document No:	DS.SDS.GREY.v1.0
Document Type:	Safety Datasheet
Publish Date:	27/10/2023
Product Name:	Python DS

SKIN AND BODY PROTECTION	Wear suitable protective clothing.
HAND PROTECTION	Protective gloves.
RESPIRATORY PROTECTION	In case of insufficient ventilation, wear suitable respiratory equipment.
THERMAL HAZARDS	No additional information available.
ENVIRONMENTAL EXPOSURE CONTROLS	Avoid release to the environment.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Solid.
COLOUR	Grey.
ODOUR	No data available.
ODOUR THRESHOLD	No data available.
PH	No data available.
RELATIVE EVAPORATION RATE (BUTYLACETATE=1)	No data available.
MELTING POINT	No data available.
FREEZING POINT	Not applicable.
BOILING POINT	No data available.
FLASH POINT	Not applicable.
AUTO-IGNITION TEMPERATURE	Not applicable.
DECOMPOSITION TEMPERATURE	No data available.
FLAMMABILITY (SOLID, GAS)	Non flammable.
VAPOUR PRESSURE	No data available.
RELATIVE VAPOUR DENSITY AT 20°C	No data available.
RELATIVE DENSITY	No data available.
SOLUBILITY	No data available.
PARTITION COEFFICIENT N-OCTANOL/WATER (LOG POW)	No data available.
VISCOSITY, KINEMATIC	Not applicable.
VISCOSITY, DYNAMIC	No data available.
EXPLOSIVE PROPERTIES	No data available.
OXIDISING PROPERTIES	No data available.
EXPLOSIVE LIMITS	Not applicable.

9.2 OTHER INFORMATION

No additional information available.

SECTION 10 - STABILITY AND REACTIVITY

10.1 REACTIVITY

The product is non-reactive under normal conditions of use, storage and transport.

Document No:	DS.SDS.GREY.v1.0
Document Type:	Safety Datasheet
Publish Date:	27/10/2023
Product Name:	Python DS

10.2 CHEMICAL STABILITY

Stable under normal conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reactions known under normal conditions of use.

10.4 CONDITIONS TO AVOID

None under recommended storage and handling conditions (see section 7).

10.5 INCOMPATIBLE MATERIALS

The product is non-reactive under normal conditions of use, storage and transport.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY (ORAL)	Not classified.
ACUTE TOXICITY (DERMAL)	Not classified.
ACUTE TOXICITY (INHALATION)	Not classified.
FLUE DUST FROM CLINKER PRODUCTION (68475-76-3)	
LD50 ORAL RAT	> 1848 mg/kg bodyweight Animal: rat, Guideline: other., Remarks on results: other.
LD50 DERMAL RAT	≥ 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity).
FLUE DUST FROM CLINKER PRODUCTION (68475-76-3)	
LC50 INHALATION - RAT	> 6.04 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method).
CALCIUM DIHYDROXIDE (1305-62-0)	
LD50 ORAL RAT	> 2000 mg/kg bodyweight OECD 425 rat.
LD50 DERMAL RABBIT	> 2500 mg/kg bw/day OECD 402, rabbit.
SKIN CORROSION/IRRITATION	Causes skin irritation.
PORTLAND CEMENT, CHEMICALS (65997-15-1)	
pH	10 – 13.
CALCIUM DIHYDROXIDE (1305-62-0)	
pH	12.4 saturated solution @ 20.
SERIOUS EYE DAMAGE/IRRITATION	Causes serious eye damage.
PORTLAND CEMENT, CHEMICALS (65997-15-1)	
pH	10 – 13.
CALCIUM DIHYDROXIDE (1305-62-0)	
pH	12.4 saturated solution @ 20.
RESPIRATORY OR SKIN SENSITISATION	May cause an allergic skin reaction.

Document No:	DS.SDS.GREY.v1.0
Document Type:	Safety Datasheet
Publish Date:	27/10/2023
Product Name:	Python DS

GERM CELL MUTAGENICITY	Not classified.
CARCINOGENICITY	Not classified.
REPRODUCTIVE TOXICITY	Not classified.
STOT-SINGLE EXPOSURE	May cause respiratory irritation.
PORTLAND CEMENT, CHEMICALS (65997-15-1)	
STOT-SINGLE EXPOSURE	May cause respiratory irritation.
FLUE DUST FROM CLINKER PRODUCTION (68475-76-3)	
STOT-SINGLE EXPOSURE	May cause respiratory irritation.
CALCIUM DIHYDROXIDE (1305-62-0)	
STOT-SINGLE EXPOSURE	May cause respiratory irritation.
STOT-REPEATED EXPOSURE	Not classified.
FLUE DUST FROM CLINKER PRODUCTION (68475-76-3)	
LOAEC (INHALATION, RAT,DUST/MIST/FUME, 90 DAYS)	0.00509 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study).
NOAEC (INHALATION, RAT, DUST/MIST/FUME, 90 DAYS)	≥ 0.061 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study).
ASPIRATION HAZARD	Not classified.
PYTHON DS S1 FIBRE TILE ADHESIVE GREY	
VISCOSITY, KINEMATIC	Not applicable.
SECTION 12 - ECOLOGICAL INFORMATION	
12.1 TOXICITY	
ECOLOGY - GENERAL	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
HAZARDOUS TO THE AQUATIC ENVIRONMENT, SHORT-TERM (ACUTE)	Not classified.
HAZARDOUS TO THE AQUATIC ENVIRONMENT, LONG-TERM (CHRONIC)	Not classified.
FLUE DUST FROM CLINKER PRODUCTION (68475-76-3)	
EC50 72H - ALGAE [1]	22.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus).
EC50 72H - ALGAE [2]	28.2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus).
CALCIUM DIHYDROXIDE (1305-62-0)	
LC50 - FISH [1]	50.6 mg/l for freshwater fish.
LC50 - FISH [2]	457 mg/l for marine fish.
EC50 - CRUSTACEA [1]	49.1 ml/l freshwater invertebrates.
EC50 72H - ALGAE [1]	184.57 mg/l for freshwater algae.
12.2 PERSISTENCE AND DEGRADABILITY	
No additional information available.	
12.3 BIOACCUMULATIVE POTENTIAL	
No additional information available.	

Document No:	DS.SDS.GREY.v1.0
Document Type:	Safety Datasheet
Publish Date:	27/10/2023
Product Name:	Python DS

12.4 MOBILITY IN SOIL

No additional information available.

12.5 RESULTS OF PBT AND VPVB ASSESSMENT

No additional information available.

12.6 OTHER ADVERSE EFFECTS

No additional information available.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

WASTE TREATMENT METHODS	Dispose of contents/container in accordance with licensed collector's sorting instructions.
HP CODE	HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

SECTION 14 - TRANSPORT INFORMATION

IN ACCORDANCE WITH ADR / IMDG / IATA / ADN / RID

14.1 UN NUMBER

UN-NO. (ADR)	Not regulated.
UN-NO. (IMDG)	Not regulated.
UN-NO. (IATA)	Not regulated.
UN-NO. (ADN)	Not regulated.
UN-No. (RID)	Not regulated.

14.2 UN PROPER SHIPPING NAME

PROPER SHIPPING NAME (ADR)	Not regulated.
PROPER SHIPPING NAME (IMDG)	Not regulated.
PROPER SHIPPING NAME (IATA)	Not regulated.
PROPER SHIPPING NAME (ADN)	Not regulated.
PROPER SHIPPING NAME (RID)	Not regulated.

14.3 TRANSPORT HAZARD CLASS(ES)

TRANSPORT HAZARD CLASS(ES) (ADR)	Not regulated.
TRANSPORT HAZARD CLASS(ES) (IMDG)	Not regulated.
TRANSPORT HAZARD CLASS(ES) (IATA)	Not regulated.
TRANSPORT HAZARD CLASS(ES) (ADN)	Not regulated.
TRANSPORT HAZARD CLASS(ES) (RID)	Not regulated.

14.4 PACKING GROUP

PACKING GROUP (ADR)	Not regulated.
---------------------	----------------

Document No:	DS.SDS.GREY.v1.0
Document Type:	Safety Datasheet
Publish Date:	27/10/2023
Product Name:	Python DS

PACKING GROUP (IMDG)	Not regulated.
PACKING GROUP (IATA)	Not regulated.
PACKING GROUP (ADN)	Not regulated.
PACKING GROUP (RID)	Not regulated.
14.5 ENVIRONMENTAL HAZARDS	
DANGEROUS FOR THE ENVIRONMENT	No.
MARINE POLLUTANT	No.
OTHER INFORMATION	No supplementary information available.
14.6 SPECIAL PRECAUTIONS FOR USER	
OVERLAND TRANSPORT	Not regulated.
TRANSPORT BY SEA	Not regulated.
AIR TRANSPORT	Not regulated.
INLAND WATERWAY TRANSPORT	Not regulated.
RAIL TRANSPORT	Not regulated.
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL AND THE IBC CODE	
Not applicable.	
SECTION 15 - REGULATORY INFORMATION	
15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE	
15.1.1. EU-REGULATIONS	
REACH ANNEX XVII (RESTRICTION LIST)	Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions).
REACH ANNEX XIV (AUTHORISATION LIST)	Contains no substance(s) listed on REACH Annex XIV (Authorisation List).
REACH CANDIDATE LIST (SVHC)	Contains no substance(s) listed on the REACH Candidate List.
PIC REGULATION (PRIOR INFORMED CONSENT)	Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals).
POP REGULATION (PERSISTENT ORGANIC POLLUTANTS)	Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants).
OZONE REGULATION (1005/2009)	Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer).
EXPLOSIVES PRECURSORS REGULATION (2019/1148)	Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors).
DRUG PRECURSORS REGULATION (273/2004)	Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).
15.1.2. NATIONAL REGULATIONS	
GERMANY	
Employment restrictions	Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
Water hazard class (WGK)	WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Document No:	DS.SDS.GREY.v1.0
Document Type:	Safety Datasheet
Publish Date:	27/10/2023
Product Name:	Python DS

Storage class (LGK, TRGS 510)		LGK 13 - Non-combustible solids.		
JOINT STORAGE TABLE				
LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13
JOINT STORAGE NOT PERMITTED FOR		LGK 1, LGK 6.2, LGK 7.		
JOINT STORAGE WITH RESTRICTIONS PERMITTED FOR		LGK 4.1A, LGK 5.1C.		
JOINT STORAGE PERMITTED FOR		LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.		
HAZARDOUS INCIDENT ORDINANCE (12. BIMSCHV)		Is not subject of the Hazardous Incident Ordinance (12. BImSchV).		
NETHERLANDS				
ABM CATEGORY		Z(l) - non biodegradable substances with hazardous properties for humans and the environment (carcinogenicity/ mutagenicity/ reprotoxicity/bioaccumulative potential/ toxicity or persistence).		
SZW-LIJST VAN KANKERVERWEKKENDE STOFFEN		Flue dust from clinker production is listed.		
SZW-LIJST VAN MUTAGENE STOFFEN		Flue dust from clinker production is listed.		
SZW-LIJST VAN REPROTOXISCHE STOFFEN – BORSTVOEDING		None of the components are listed.		
SZW-LIJST VAN REPROTOXISCHE STOFFEN – VRUCHTBAARHEID		None of the components are listed.		
SZW-LIJST VAN REPROTOXISCHE STOFFEN – ONTWIKKELING		None of the components are listed.		
DENMARK				
DANISH NATIONAL REGULATIONS		Young people below the age of 18 years are not allowed to use the product. The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal.		
SWITZERLAND				
STORAGE CLASS (LK)		LK 11/13 - Solids.		
15.2 CHEMICAL SAFETY ASSESSMENT				
No chemical safety assessment has been carried out.				
SECTION 16 - OTHER INFORMATION				
ABBREVIATIONS AND ACRONYMS				
ADN		European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.		
ADR		European Agreement concerning the International Carriage of Dangerous Goods by Road.		
ATE		Acute Toxicity Estimate.		
BCF		Bioconcentration factor.		
BLV		Biological limit value.		
BOD		Biochemical oxygen demand (BOD).		

Document No:	DS.SDS.GREY.v1.0
Document Type:	Safety Datasheet
Publish Date:	27/10/2023
Product Name:	Python DS

COD	Chemical oxygen demand (COD).
DMEL	Derived Minimal Effect level.
DNEL	Derived-No Effect Level.
EC-NO.	European Community number.
EC50	Median effective concentration.
EN	European Standard.
IARC	International Agency for Research on Cancer.
IATA	International Air Transport Association.
IMDG	International Maritime Dangerous Goods.
LC50	Median lethal concentration.
LD50	Median lethal dose.
LOAEL	Lowest Observed Adverse Effect Level.
NOAEC	No-Observed Adverse Effect Concentration.
NOAEL	No-Observed Adverse Effect Level.
NOEC	No-Observed Effect Concentration.
OECD	Organisation for Economic Co-operation and Development.
OEL	Occupational Exposure Limit.
PBT	Persistent Bioaccumulative Toxic.
PNEC	Predicted No-Effect Concentration.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail.
SDS	Safety Data Sheet.
STP	Sewage treatment plant.
THOD	Theoretical oxygen demand (ThOD).
TLM	Median Tolerance Limit.
VOC	Volatile Organic Compounds.
CAS-No.	Chemical Abstract Service number.
N.O.S.	Not Otherwise Specified.
vPvB	Very Persistent and Very Bioaccumulative.
ED	Endocrine disrupting properties.
FULL TEXT OF H AND EUH STATEMENTS:	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

PYTHON DS

FLOOR & WALL
TILE ADHESIVE

GREY

Document No:	DS.SDS.GREY.v1.0
Document Type:	Safety Datasheet
Publish Date:	27/10/2023
Product Name:	Python DS



H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
SKIN IRRIT. 2	Skin corrosion/irritation, Category 2.
SKIN SENS. 1	Skin sensitisation, Category 1.
SKIN SENS. 1B	Skin sensitisation, category 1B.
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation.

The classification complies with: ATP 12. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.